





























































# EMC Filters

for DC Drives

## Description

A range of custom designed optional EMC (Electromagnetic Compatibility) filters are available for use with Parker SSD Drives product range.

They are used to help achieve conformance with the EMC directive BS EN 61800-3:2004 - "Adjustable speed electrical power drive systems - Part 3".

Installation of the drive must be in accordance with the installation guidelines in the product manual. The filters comply with the relevant standards as outlined in the following table.

**1<sup>st</sup> Environment** : Drives directly connected without intermediate transformers to a low voltage (<100V rms) supply network that is part of a network that also supplies buildings used for domestic purposes.

**2<sup>nd</sup> Environment** : Establishments where there is no direct connection to a low voltage supply network that also supplies buildings used for domestic purpose.

**TN Earthing** = Grounded neutral AC supply <460V ac

**IT Earthing** = Ungrounded neutral AC supply <500V ac

**Ext. Filter** = External filter


**Ext. Filter FP** = Footprint external filter

## EMC Filters

DC Drives	Frame	Current	2 <sup>nd</sup> Environment (Industrial)	1 <sup>st</sup> Environment (Domestic)
506,507,508			External FP Filter C0389115	External FP Filter C0389115
512,514C		4, 8, 16A	External FP Filter C0389113	External FP Filter C0389113
		32A	External FP Filter C0389114	External FP Filter C0389114
DC590+	1	15A	Standard with input capacitors	External Filter CO467844U015
		35,40A	Standard with input capacitors	External Filter CO467844U040
	2	70A	Standard with input capacitors	External Filter CO467844U070
		110A	Standard with input capacitors	External Filter CO467844U110
	3	165A	Standard	External Filter CO467844U165
		180A	Standard	External Filter CO467844U180
	4, 5, H	270A	Standard	External Filter CO467844U340
				Standard

Wall Mounting : Use the mounting kits below

Filter	Mounting Kit
CO467842U020	BA467840U020
CO467842U044	BA467840U044
CO467842U084	BA467840U084
CO467842U105	BA467840U105



Drive mounted on an external footprint filter